




CLEAR SPAN STRUCTURE :  
YOUR ULTIMATE EVENT SOLUTION



Personalised Service  
Professional Technology  
Perfect Design  
Practical Craftsmanship  
Giving Shapes to Your Perfect Events



WE are a twelve years experienced company in structure design, manufacturing and sales plus full-service with all related accessories. We use only high quality equipment and materials for all its production and clients, and has a super maintenance program and a great support team to make your event a success. No matter what size of your company or event, you are guaranteed the professional experienced staff and expertise in each aspect from consulting, quoting, designing, production to delivery and final installation services. We can provide all functional structures , and specially custom-made ones as well. You can also get one-stop-service from HVAC to all related accessories for structure like tables chairs, lighting, flooring, interior liner etc. So we are always ready to make you covered whether you want a dome-shaped, a traditional white clearspan structure, or a unique design never before seen. Adamsstructure has housed projects of distinction for PGA Championship, Auto Show, and large Expo all over the world. For any last-minute needs or Mother Nature's surprises, our specially trained staff and 24-hour on call service is always there for you.

So you just dream it, we just deliver it.

## Profile

DESIGN AND  
MANUFACTURING

Leaders in Precision Engineered  
Tent Systems

THE CLEARSpan  
STRUCTURE SPECIALISTS

We are a leading global manufacturer of clearspan structures. It has kept providing structure solutions, manufacturing and developing temporary buildings for a diverse range of applications. And it has kept providing all products and parts for China tenting industries for more than decades.

Technology and Innovation are our primary driving forces in our team. All our success is brought by our continuous product development, quality standards and re-investment in the production processes which is also our pivotal.

Our head office and plant are in Guangdong, Southern China which is a most developed industrial region for all materials from a bolt to aircraft which guarantee our efficiency in sourcing and coordination, production and finally, to meet your even last-minute needs with our mighty inventory.

We supply our clients globally with our diverse range of structure systems from private to public sectors including event rental industry, army, aid organizations and general industry.

Our ongoing re-investment schedule including the completed new ISO9001:2008 certified plant of 50,000 sqm with full modern manufacturing facilities , especially the high speed and precise CNC machines. Those sophisticated machines are used throughout the whole production process like drilling , polishing , cutting etc to guarantee not a final perfect finished structure, but even a craft on your hand.

Purchase from us is not just a wise choice for your respect, it is also a great reputation for your company when you deliver the high quality engineered products to your clients and the industry..


With our unrivalled tecahnical experience, expertise and after-sales back up:

You just dream it, we just deliver it.



Fairs, Church meeting,Concerts, wedding and Party, Exhibition and Vendor Booths..Fairs and concerts typically require a multitude of structure capabilities. Structure solutions typically include the cost-effective clearspans from 3m up to 60m in A –shape design; or from 15m to 40m in curved design. Capacity from 100 people to 6000 with all necessary accessories from interior liner, flooring, carpeting,Lighting, HVAC, sound equipment,green rooms, VIP lounges, exhibition equipment, tabletop, and more.

## Concert



## Church



## Commercial

From intimate executive dinner parties, to expansive employee galas or shareholder meetings, structures are ideal for corporate events, no matter large or small. Our accessories and enhancements including specialized lighting, interior liners, cathedral windows and glass doors-compliment the mood and theme for any corporate events.



# EXPO

Structure has vast range of semi-permanent structure allows us to setup temporary expo centers covering several thousands of sqm in remote areas or provide supporting facilities adjacent to permanent convention centers to cover peak demands. Our services include the entire infrastructure like power ,and restroom facilities. Structure has the solution for every exhibit need.

## EXPO




# AUTO EXPO

## Road and Auto Shows

Event or mobile marketing is a very effective form to immediately reach thousands of new clients and provide them with a unique product experience. Structure is able to provide the facility and infrastructure where none existed before. We create tent cities that usually include structure for entrance and consumer registration, product display and education, hospitality and lounging . BMW, Mercedes are just some of the high end automotive makers who took structure on the road when a new model hits the pavement.



## Wedding & Party [ASHQ]




## NPT and pagoda



# ASRZ



# ASJD



# ASJG

Dining facilities, Temporary barracks, command centers and government offices are among the many solutions provided by structure, its set-ups are often up to 30,000 square meters in size including flooring, furniture, generators, lighting and much more depending on troop sizes from 5000 to 10000. Our diverse range allows us to operate upon a moment's notice.



# ASCK

No matter you need to house a aircraft or a shipment of portable goods. structure with HVAC equipped provides the durability and dependability manufacturers and business depend on. Stay with structure, no foundation needs to be leased and no capital investment is required to cover excess storage demand. Clients like production & logistic companies, airports, shipping ports, supermarket and home depot have approved their best choices from us.



## HAJI AND AID

There is almost no permanent building in Mecca or some other religious places in Middle East or other regions. There is also no room for mistakes in an emergency, which is why structure got many contracts from governments, religious organizations military units and corporations that demand the highest level of service during time of crisis. We are the leading provider for many global organizations who always need urgent delivery to any geographic locations within short time.

Whether you need sleeping structures, kitchen facilities , makeshift hangers, conference rooms, office rooms, classrooms, trailers, etc, our trained staff deliver practical , cost-effective solutions that maximize your ability to respond and recover your clients need.

## HAJI



## Camping



# Hotels and Country Club

## Hotels and Country Club

In peak season, it is really a headache when you find your hotel or club room is full, but you've got more loyal and passionate clients who really come for your site, then the structure does extend your dinner room, your party room, your ball room etc to an outdoor area like beside your swimming pool, car park or river bank which make your guest enjoy their food in our structure and at the same time enjoy the beautiful view of your resort outside. Semi-permanent structures enable hotel, resort and country club managers to increase their ballroom, meeting and convention space without having to go through major capital investment or worse, turn additional business down. Our diverse structures ensure your guests are comfortable same as they are indoors and no matter what the weather. And enhancements such as ceiling liners, cathedral windows, glass walls, ABS walls and doors, can turn a parking lot or a barren plot of land into an elegant five-star resort or even better.





# sports and entertainment

Free standing structure is a leader when it comes to sports and entertainment events. With diverse designs and models of structures for on site restaurant, sports center like skating, cart race or tennis, swimming pool, or any other functional arena as well as the main venue for the main event, structure offers everything from HVAC, lighting, power and flooring to technical design, site management and installation.

From a stylish structure for thousands to a colorful village of tented elegance, ADAMSSSTRUCTURE enable to supply the right way and designs for great success.

Now no need to worry about the land permission and investment on a cost permanent concrete building for any size sport, just give us a piece of land, we will create magic room for your sport dream in the school to protect the child from the bad weather, or in front of your yard

## Cart race



## Dinning



## skating



## Arena



## Swim pool



## Stable



## Golf



## Tennis Court



# CUSTOM STRUCTURES

In order to make unique impression to your clients, many times you want to convert your ideas to reality. And in many occasions it is really a great hit when you deliver something special to your clients' supreme projects when they trust you and give you a valuable chance.

From conception to completion, structure provides custom-made structures to suit most applications. Structures are designed and supplied according to client's special needs. In a particular circumstance, clients may require the structure to be a unique shape to symbolize some meaning according to the background of the events or history or organization., or clients may need the structure to be stronger to higher wind and snow loading capabilities. In most of cases, we are able to fulfill our clients unique requirements from a nonstandard shape to a muti-level thermo-roof structure.

Technology and know-how are our keys to success, our designers and engineers are professional at using modern software to make it possible in computer. And this together with the utilization of the CNC precision engineering equipment,structure always enables to make your dreams come true.

**ASCQ**



**ASPG**



**ASFB**



**ASDD**



**ASMJ**



**ASPD**



**ASQX**



**ASMX**




**ASYT**



**ASCG**



平面布局图



From party hire to expo, from sports to military, structure has every affair covered from tent top to tabletop.. As one of the most experienced full-service structure provider, more and more clients from global grow-up together with structure than another company.

With diverse designs , there's practically no structure we cannot make. With our trained teams, extensive inventory of all raw materials from a bolt to massive aluminium extrusions, we always meet our clients 's any needs, even it is a last-minute one.

Looking for a perfect shape for your unique event?  
Or thinking a magic lighting for your functions?

You v got one-stop purchase from all our professional and efficient provding.

We do more than just selling structures and accessories. In structure,you will get professional consultation and location recommendations, detailed diagrams and structure layout like 3D drawings, on-time delivery and even on site installation services.

Please take us as your business partners, we would like grow-up together with all our valuable clients, and making your event colorful is our passion.

You dream it, we deliver it.

decoration & furniture inside  
of the hotel marquee











bathroom in hotel marquee








WORKSHOP DETAILS



ALUMINIUM ALLOY CNC PROCESSING



ALUMINIUM INVENTORY



FABRIC PROCESSING



## CNC FABRIC PROCESSING



# MEMBRANE STRUCTURE

## 膜结构介绍 Introduction of Membrane structure

膜结构建筑是21世纪最具代表性与充满前途的建筑形式。它打破了纯直线建筑风格的模式，以其独有的优美曲面造型，简洁、明快、刚与柔、力与美的完美组合，呈现给人以耳目一新的感觉，同时给建筑设计师提供了更大的想象和创造空间。

具有良好的环保性、透光性、自清洁性，膜材表面采用PVDF（聚偏二氟乙烯）涂层、或二氧化钛涂层，具有较好的隔热效果，对太阳热能可反射掉70%，膜材本身吸收了17%，传热13%，而透光率却在20%以上，经过10年的太阳光直接照射，其辉度仍能保留70%。

### 覆盖大跨度空间

膜结构中所使用的膜材料每平方壹公斤左右，由于自重轻，加上钢索、钢结构高强度材料的采用，与受力体系简洁合理——力大部分以轴力传递，故使膜结构适合跨越大空间而形成开阔的无柱大跨度结构体系。

### 防火性与抗震性

膜结构建筑所采用的膜材具有卓越的阻燃性和耐高温性，故能很好的满足防火要求。由于结构自重轻，又为柔性结构且有较大变形能力，故抗震性能好。

工期短：膜材裁剪。拼合成型及骨架的钢结构、钢索均在工厂加工制作，现场只需组装，施工简便，故施工周期比传统建筑短。

The membrane structure is the most representative and promising form of architecture in the twenty-first Century. It broke the pure straight building wind. The pattern of a lattice, with its unique graceful surface, is a perfect combination of simplicity, clarity, stiffness and flexibility, force and beauty.

It gives a new feeling to the people and provides more imagination and space for the architects.

It has good environmental protection, light transmittance and self cleaning.

Cover large span space

Fire resistance and seismic resistance

Short period of time

## 膜材介绍 Introduction of Membrane material

### 涂层

防水 waterproof  
耐气候、防紫外线 Weather resistance and UV protection  
防火 Fire prevention  
抗皱褶 Anti wrinkle  
防低温 Low temperature  
防霉 Mildew  
耐分解 Resistance to decomposition  
透光率 Transmittance

### 基布及涂层

粘结性 Cohesiveness  
耐撕性 Avulsion resistance  
透光率 Transmittance  
基布  
拉伸长度 Stretch length  
伸长率 elongation  
空间稳定性 Space stability  
可燃性 Flammability

### A类

A类最好，以玻璃纤维织物为基材涂PTFE（永久膜材）而成；

### B类

B类次之，以玻璃纤维织物为基材涂PVC而成；

### C类

C类是三类中最次的，以聚酯（涤纶）织物为基材涂PVC而成。按涂层材料分，有聚四氟乙烯（PTFE）、聚偏氟乙烯（PVDF）、聚氟乙烯（PVF）、聚氯乙烯（PVC）、聚氨酯（PU）、橡胶等，它的寿命因不同的表面涂层而异，一般可达12—50年。

### Class A

Class A is best, with glass fiber fabric as the base material coated with PTFE (permanent film material).

### Class B

B class is made of glass fiber fabric as base material and PVC.

### Class C


The C class is the most common in the three category, and is made of polyester (polyester) fabric for the substrate of PVC. According to the coating material, there is a polymer Tetrafluoroethylene (PTFE), polyvinylidene fluoride (PVDF), polyvinylidene fluoride (PVF), polyvinyl chloride (PVC), polyAmmonia ester (PU), rubber, etc., its life varies with different surface coatings, usually up to 12 - 50 years.




## 体育膜结构设施 Sports membrane structure facilities

膜结构建筑能很好的笼罩全部的看台，具有艺术性，经济性，保温性，自洁性，防火性，吸音性和透光性。膜结构运用于体育看台能更好的体现膜结构的这一特性。

体育看台膜结构比传统看台相比，具有造型优美，空间跨度大，自重轻，使用年限时间长等特点。同时能缩小建筑的结构，建筑的整体重量减轻，这样施工就会变的简单安全。这些都是膜结构被广大用户选择的关键因素。膜材的表面都有一种涂层，涂层是为了预防灰尘雨水的影响，起到保护膜结构使用年限的作用。



## 恒温膜结构泳池 Sports membrane structure facilities




## 篮球场膜结构 Basketball Court membrane structure



## 体育看台膜结构 Sports stand membrane structure



# 体育设施膜结构汇总 Sports membrane structure collect



# 体育设施膜结构汇总 Sports membrane structure collect




## 景观膜结构设施 Sports membrane structure collect


膜工程中所有加工和制作依设计均可在工厂内完成，在现场只进行安装作业。相比传统建筑的施工周期，它几乎要快一倍。多变的支撑结构和柔性膜材使建筑物造型更加多样化，新颖美观，同时体现结构之美，且色彩丰富，可创造更自由的建筑形体和更丰富的建筑语言。




## 景观膜结构设施 Sports membrane structure collect



## 景观膜结构设施 Sports membrane structure collect



## 景观膜结构设施 Sports membrane structure collect



景观膜结构小品 **Landscape membrane structure**



景观膜电动结构 **Landscape Electric membrane structure**



## 商业膜结构设施 Commerce membrane structure facilities

膜结构中所使用的膜材料每平方壹公斤左右，由于自重轻，加上钢索、钢结构高强度材料的采用，与受力体系简洁合理——力大部分以轴力传递，故使膜结构适合跨越大空间而形成开阔的无柱大跨度结构体系。

膜结构建筑所采用的膜材具有卓越的阻燃性和耐高温性，故能很好的满足防火要求。由于结构自重轻，又为柔性结构且有较大变形能力，故抗震性能好。

工期短：膜材裁剪。拼合成型及骨架的钢结构、钢索均在工厂加工制作，现场只需组装，施工简便，故施工周期比传统建筑短。

## 商业膜结构设施 Commerce membrane structure facilities




## 商业膜结构设施 Commerce membrane structure facilities



## 商业膜结构设施 Commerce membrane structure facilities



# TABARK



diameter (m)	top height (m)	area (m <sup>2</sup> )
Φ10	5.1	78.50
Φ12	6.1	113.00
Φ15	7.8	176.60
Φ16	8.2	200.96
Φ18	9.2	254.34
Φ20	10.2	314.00
Φ22	11.2	379.94
Φ25	12.7	490.62
Φ30	15.2	706.50




# TABARK



electrical ventilation fan




ventilation hole




curtain



# TABARK



# TABARK






**TABARK**



external WPC floor



internal SPC floor

## 商业膜结构设施 Commerce membrane structure facilities



## 商业膜结构设施 Commerce membrane structure facilities



## 酒店膜结构设施 Hotel membrane structure facilities

置于荒郊野外的“帐篷酒店”是野奢酒店的代表，也是这一概念的源起。地域上的“野”使之具有天然美景，物质上的“奢”则打破了山野之地物质匮乏的观念，即使人迹罕至，也要有豪华舒适的物质享受，同时，这种“奢”也是精神上的“奢”，创造者因为对回归自然的诉求的满足，而为居住者带来独特而难忘的度假体验。



## 酒店膜结构设施 Hotel membrane structure facilities



酒店膜结构设施 Hotel membrane structure facilities



酒店膜结构设施 Hotel membrane structure facilities



## 酒店膜结构设施 Hotel membrane structure facilities



## 酒店膜结构设施 Hotel membrane structure facilities



## 停车棚膜结构设施 Parking shed membrane structure facilities

现代车棚规划设计包括视觉景观形象、环境生态绿化、大众行为心理三方面。膜结构停车棚已经广泛应用于大型体育场馆、购物场、娱乐场、展览会场、植物观光园等区域。在城市车棚中，膜结构停车棚特殊的结构及性能特点使其不仅在车棚领域充满潜力，在其他的应用上也拥有巨大的发展前景。



## 停车棚膜结构设施 Parking shed membrane structure facilities



## 停车棚膜结构设施 Parking shed membrane structure facilities



## 停车棚膜结构汇总 Parking shed membrane structure Summary



## 停车棚膜结构汇总 Parking shed membrane structure Summary




## 停车棚膜结构设施 Parking shed membrane structure facilities






# Maldives Project / 6x7m luxury Hotel Tent



# Maldives Project



## 6x7m luxury Hotel Tent



## *layout of the hotel tent*

# Steel Processing



## Our Factory



## Madives Kuramathi Island Resort










## Philippines Project shell luxury Hotel Tent





*architectural renderings of the hotel tent*

# Philippines Project / shell luxury Hotel Tent






*layout of the hotel tent*




Philippines Project  
shell luxury Hotel Tent


## Malaysia Project / 6 diameters dome luxury hotel tent




*architectural renderings of the hotel tent*




## *layout of the hotel tent*




## 6 diameters dome




**(round door)**



*layout of the hotel tent*



**6 diameters dome**  
**(square door)**



## 6 diameter dome Hotel Tent





(one dome one toilet)



*architectural renderings of the hotel tent*

6x8m quadrangle

(single room)




*layout of the hotel tent*



**6x8m quadrangle**  
**(single room)**



## 6x6m quadrangle (single room)



*architectural renderings of the hotel tent*



**6x6m quadrangle (single room)**



6 diameters hexagon

(single room)






6 diameters hexagon  
(single room)



8 diameters octagon



( single room )



*layout of the hotel tent*

## 8 diameters octagon ( single room )





*architectural renderings of the hotel tent*

8 diameters decagon




(single room)



*layout of the hotel tent*



8 diameters decagon  
(single room)



*architectural renderings of the hotel tent*

# 60m<sup>2</sup> luxury Hotel Tent

(one room one hall)






**60m<sup>2</sup> luxury Hotel Tent**  
**(one room one hall)**



*architectural renderings of the hotel tent*

90m<sup>2</sup> luxury Hotel Tent

(two room one hall)



*layout of the hotel tent*


## 90m<sup>2</sup> luxury Hotel Tent (two room one hall)



*architectural renderings of the hotel tent*

130m<sup>2</sup> luxury Hotel Tent

(three room one hall)



*layout of the hotel tent*




**130m<sup>2</sup> luxury Hotel Tent**  
**(three room one hall)**



*architectural renderings of the hotel tent*



Item	Specification
Clear span width	25m
Side height (1st floor)	3.35m
Eave height	6.75m
Top height	11m
Wind loading	120km/hour
Floor Loading Capacity	450kg/m <sup>2</sup>
Roof pitch	18°
Main Profile	300X120X5mm
Roof Options	Thermo Roof
Roof Fixing	Bar Tensioning
Eave connection	Hot-dip Galvanized twin steel plate
Framework material	Hard pressed extruded aluminium 6061/T6 ( 15HW )
Cover material	PVC-coated polyester textile, flame retardant to DIN 4102 B1,M2,CFM. 750-900g/m <sup>2</sup>



### Optional accessories

PVCwindow sidewalls  
 Anchoring  
 Rain Gutter  
 Lining and curtain  
 Glass door units  
 Transparent PVC cover and sidewall  
 Flooring system  
 Weight plate



### Framework main profile dimension and use

 Roof Beam Upright Support Gable Pole	 Gable Pole	 Eave Purlin Ridge Purlin
 Eave Purlin	 Intermediate Purlin	 Eave tension rail







# Factory workshop



Computerized Numerical Control Machining Center



CNC Cutting Machine

Automatical Washing Machine for PVC Fabrics



# Product



**Pagoda Tent**  
3m-10m width



**New Party Tent**  
3m-12m width



**Event Tent**  
8m-18m width



**New Holiday Tent**  
6m-15m width



**Warehouse Tent**  
5m-30m width



**Half Dome Tent**  
4m width



**Big Tent**  
10m-60m width




**Arcum Tent**  
6m-40m width

Our temporary structure systems are categorised into twenty-one distinct product lines, with each product line comprising multiple designs, shapes and width options.

## High Quality Tent based on the Details.

### PVC Fabric

- Weight: 850g/m<sup>2</sup>
- Thickness: 0.65mm
- Block-out
- Double sides thickened acrylic surface / PVC surface.
- Self-cleaning, mould-proof
- Anti-UV
- Flame retardant to DIN4102.B1,M2, and CFM / NFPA701



### Aluminum Alloy

- Premium aluminum alloy code 6061 / T6, 6082 / T6
- Hardness 15HW
- Anodized layer thickness  $\geq 10\mu\text{m}-15\mu\text{m}$
- Aluminum alloy plug-in connectors innovation, more precise, less weight, same support, longer lifespan.

## Military, Ramadan, Disaster Relief Tent Series



### System Features

- Clear span design 100% Interior space usable.
- Four-channel aluminium frame
- Durable, wind resistant, flame retardant with according certificates
- Mesh window, PVC fabric rolling door
- Various sizes available
- Easy to set up and dismantle, convenient for carrying
- Customized design for special requirements available





### Optional Accessories for Military Tent Series:





The standard Pagoda Tent series is available in 3x3m, 4x4m, 5x5m, and 6x6m. It has a side height of 2.5m. This type of Pagoda Tent adopts a 3 channel 65x65x2.5mm aluminum alloy main profile. The standard 8x8m and 10x10m Pagoda with a 2.6 side height adopts a 4 channel 122x68x3mm aluminum alloy main profile. Wind load capability is 80km/h (0.3kn/m<sup>2</sup>). Pagoda Tents can be used as a single unit or combined to enlarge space and become a special structure style with a rain gutter.




### System Features

- Elegant high peak roof line
- Easy assemble and dismantle
- No machinery required
- Patented roof cover fixation of aluminum tube Exclusive by Liri Tent
- The new roof cover fixation reduce the assemble time and physical effort prevent keder slip out mostly
- Single unit but can be combined by a rain gutter to make a larger space and a special structure style



## Optional Accessories for Pagoda Tents



Type: PAG	Span Width	Eave Height	Ridge Height	Main Profile
	3m / 4m / 5m / 6m / 8m / 10m	2.5m (For 3-6m) 2.6m (For 8m,10m)	4.3m / 4.8m / 5.43m / 5.92m / 5.36m / 6.38m	65x65x2.5mm (For 3-6m) 122x60x3mm (For 8m,10m)

The new Pagoda tent fixation mode:  
Has obtained patent certificate (No: ZL 2012 020590888.5)



The main frameworks (upright support and roof beam) of Event Tent series are 4-channel profile size of 152x119x4mm hard pressed extruded aluminum. Span widths available in 8m, 10m, 12m, 15m, 16m and 18m with an eave height of 3.3m, each bay distance is 5m.




### System Features

- Four-channel aluminum frame
- Galvanized steel connection pieces
- Kedered fabric system
- Bar tensioning roof system
- Interchangeable parts between sizes
- No exterior guy lines required
- Full line accessories






## Optional Accessories for Event Tents



Type:ET	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	8m / 10m / 12m / 15m / 16m / 18m	3.3m	4.53m / 4.85m / 5.16m / 5.62m / 5.72m / 6.01m	5m	152×119×3.0mm (4-channel)




## Optional Accessories for New Holiday Tents



Type:NHT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	6m / 9m / 10m / 12m / 15m	3m	4.07m / 4.6m / 4.75m / 5.13m / 5.6m	3m	122×68×3.0mm (4 - channel)

## Optional Accessories for Warehouse Tents



Type:WSTH	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	20m / 25m	5.2m	8.4m / 9.2m	5m	300x120x5mm (4 - channel)
	30m	5.2m	10m	5m	350x120x5mm (4 - channel)



## Optional Accessories for Half Dome Tents




Type:HDT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	3m / 4m / 5m	2.6m	3.48m / 3.84m / 4.52m	3m	100x48x3mm (4 - channel)



## System Features

- Four-channel aluminum frame
- Galvanized steel connection pieces
- Kedered fabric system
- Bar tensioning roof system
- Interchangeable parts between sizes
- Wind load 100km/h
- Full line accessories



## Big Tent Series

The standard eave height of Big Tent series is 4m. The modular design enables the tent to increase or decrease its length by 5m bay basis. Full line accessories are compatible for this series. Customized design is available.



BT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	10m / 12m / 15m / 20m / 21m / 25m	3.88m	5.53m / 5.83m / 6.3m / 7.1m / 7.25m / 7.88m	5m	204x120x4mm (4 - channel)
BTA	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	10m / 12m / 15m / 20m / 21m / 25m	3.88m	5.53m / 5.83m / 6.3m / 7.1m / 7.25m / 7.88m	5m	204x110x4mm (4 - channel)
EBT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	20m / 25m / 30m	3.88m	7.2m / 8.0m / 8.9m	5m	256x121x5mm (4 - channel)



## Optional Accessories for Big Tents



TH	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	30m / 40m	3.88m	8.9m / 10.5m	5m	300x120x5mm (4 - channel)
	30m / 40m / 50m / 60m	3.88m	8.9m / 10.5m / 12m / 13.6m	5m	350x120x5mm (4 - channel)
	40m / 50m / 55m / 60m	5m	11.5m / 13m / 14.0m / 14.6m	5m	400x120x7/8mm (4 - channel)

## Arcum Tent Series

The design of this artistic roof line has brought both of the exterior and interior appearance of tent to the upper level. Span widths are available from 6m to 25m in this series, with a standard eave height of 4m.





## System Features

- Exquisite roof line design
- Flexible to convert to dome tent or regular A frame tent.
- Full range of accessories compatible
- Eave extention provides extra exterior space
- Modular system, able to flexibly- extend and move
- Various sizes available




# Arcum Tent Series



Type:DNPT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	6m / 8m / 9m /10m / 12m	2.6m	3.48m / 3.82m / 4.0m / 4.18m / 4.52m	3m	100×48×3mm (4 - channel)
Type:DNHT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	6m / 9m / 12m /15m	3m	3.88m / 4.4m / 4.95m / 5.4m	3m	122×68×3mm (4 - channel)
Type:DET	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	10m / 12m / 15m	3.23m	4.5m / 4.82m / 5.33m	5m	152×119×4mm (4 - channel)
Type:ABT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	15m / 20m / 25m	3.88m	5.73m / 6.53m / 7.33m	5m	204×120×4mm (4 - channel)



## Optional Accessories for Arcum Tents




Type:DBT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	10m / 15m / 20m / 25m	3.88m	4.94m / 5.73m / 6.53m / 7.33m	5m	204x120x4mm (4 - channel)
Type:AEBT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	15m / 20m / 25m / 30m	3.92m	5.55m / 6.33m / 7.15m / 7.87m	5m	256x121x5mm (4 - channel)
Type:ATH	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	15m / 20m / 25m / 30m / 40m	3.92m	5.4m / 6.3m / 7.15m / 7.87m / 9.6m	5m	300x120x5mm (4 - channel)

## Curve Tent Series

There are 3 types for Curve Tent Series. These include CBT (span from 15m to 25m, main profile size 204x120x4mm), CEBT (span from 15m to 30m, main profile size 256x121x5mm), and CTH(span from 20m to 40m, main profile size 300x125x5/8mm). With its curved roof design, Curve Tent Series has capability of snowload. It's a solution for semi-permanent structure.



## Optional Accessories for Curve tents



Type:CBT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	15m / 20m / 25m	3.87m	8m / 8.8m / 9.9m	5m	204x120x4mm (4 - channel)
Type:CEBT	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	15m / 20m / 25m / 30m	3.89m	7.8m / 8.9m / 10m / 11.2m	5m	256x121x5mm (4 - channel)
Type:CTH	Span Width	Eave Height	Ridge Height	Bay Distance	Main Profile
	20m / 25m / 30m / 40m	3.89m	8.9m / 10m / 11.2m / 13.5m	5m	300x120x5mm (4 - channel)



## Multi-sides Tent Series

Multi-sides Tent Series has diamond roof and high peak roof designs. Clear span width has a wide range from 6m to 35m. Full line accessories are compatible for this series.





## System Features

- Attractive shape design
- Various sizes available
- Flexible to connect to regular A frame or high peak units
- Durable, wind resistant, flame retardant with according certificates
- Clear span design without extra interior poles
- Full range of accessories compatible



Multi-sides units are able to be joint with the regular A-shape units, high peak unit to form a mixed tent.

### ➤ Hexagonal High Peak Tent

Type:PT-HEX-HP	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	6m / 8m	2.6m	5.18m / 5.58m	3m / 4m	82x48x3mm (4 - channel)
Type:NPT-HEX-HP	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	6m / 8m / 9m / 10m	2.6m	5.18m / 5.66m / 5.83m / 6.4m	3m / 4m / 4.5m / 5m	100x48x3mm (4 - channel)
Type:WT-HEX-HP	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	10m / 12m	2.6m	6.4m / 6.8m	5m / 6m	122x68x3mm (4 - channel)
Type:GT-HEX-HP	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	10m / 12m	3m	6.8m / 8.46m	5m / 6m	166x88x3mm (4 - channel)

### ➤ Hexagonal Tent

Type:NPT-HEX	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	6m / 8m / 9m / 10m	2.6m	3.71m / 4.18m / 4.24m / 4.4m	3m / 4m / 4.5m / 5m	100x48x3mm (4 - channel)
Type:WT-HEX	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	10m / 12m	2.6m	4.4m / 4.78m	5m / 6m	122x68x3mm (4 - channel)



## Optional Accessories for Multi-sides Tents



### ➤ Octagonal Tent

Type:ET-OCT	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	15m	3.3m	5.62m	5.74m	152×119×4mm (4 - channel)
Type:GT-OCT	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	15m	3m	5.64m	5.74m	166×88×3mm (4 - channel)

Type:BT-OCT	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	15m / 20m	3.88m	6.3m / 7.1m	5.74m / 7.68m	204×120×4mm (4 - channel)



### ➤ Decagon Tent

Type:ET-DEC	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	16m	3.3m	5.72m	5m	152×119×4mm (4 - channel)
Type:CBT/DEC	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	16m / 20m	3.88m	7.8m / 9.8m	5m / 6.18m	204×120×4mm (4 - channel)

Type:BT-DEC	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	16m / 20m / 25m	3.88m	6.47m / 7.1m / 7.88m	5m / 6.18m / 7.72m	204×120×4mm (4 - channel)

### ➤ Dodecagonal Tent

Type:EBT-DOD	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	30m	3.88m	8.8m	7.82m	256×121×5mm (4 - channel)
Type:TH-DOD	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	30m	3.88m	8.8m	7.82m	300×120×5mm (4 - channel)

### ➤ Hexadecagon Tent

Type:EBT-HEXA	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	35m	3.88m	9.7m	6.82m	256×121×5mm (4 - channel)
Type:TH-HEXA	Span Width	Eave Height	Ridge Height	Side Length	Main Profile
	35m	3.88m	9.7m	6.82m	300×120×5mm (4 - channel)

